FIG. 1




FIG. 2

21: IMAGE DATA BASE





FIG. 3




4/18

PARAMETER	PARAMETER ALLOWABLE	STA	NDARD RECOMMENDABLE RECOMMENDABLE	RECOMMENDABLE		RECOMMENDABLE
	RANGE		VALUE 1	VALUE 2		VALUE n
DOCITION	0≤X≤40	0=X	0=X	X=20		
NOTION	0≤Y≤40	Y=20	Y=20	Y=20	•	•
0 I 7E	30≦X≦80	X=40	X=40	09=X	1	1
917E	30≦Ү≦80	Y=40	Y=40	Y=40	•	•
		R=255	R=255	R=0		
COLOR	•	0=0	G=255	0=9	# #	
	:	B=0	B=0	B=0		
LETTER SIZE	12~18pt	13pt	14pt	16pt	# #	•
ICTTED		R=125	R=0	R=255		
רבוובא	•	G=125	0=9	G=255	=	
UNEUR		B=125	B=0	B=255		
,	Ħ	Ħ	•	w	•	te .
	•	•	N	•		
	•	æ	•		•	×

E D

FIG. 5






FIG. 6

7/18

FIG. 7 (a)




FIG. 7 (b)





FIG. 8



9/18

FIG. 9 (a)




FIG. 9 (b)





FIG. 9 (c)



10/18

FIG. 10 (a)




FIG. 10 (b)




FIG. 10 (c)





FIG. 10 (d)






FIG. 12





FIG. 13








FIG. 15




FIG. 16




FIG. 17




FIG. 18

GAUGE LETTER COLOR		BORDERING COLOR			
R	G	В	R	G	В
255	255	255			
219	219	219	0	0	0
182	182	182			
:	:	:		:	:
:	:	•	:	•	•
85	85	85	255	255	255
0	0	0			
219	255	255		0	255
182	255	255			
146	255	255	0		
109	255	255			
:	:	•			
0	0	255	219	255	255
:	:	:			
:	:	:			
:	:	:			
:	:	:			
•	:	•	:	:	÷
•	:	•			
:	:	:			
:	:	:			
:	:	:			